

Trojan Ultra Masonry Sealer

Material Safety Data Sheet

May be used to comply with
OSHA's Hazard Communication Standard.
9 CFR 1910.1200. Standard must be consulted for specific
requirements.

U. S. Department of Labor

Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved OMB No. 1210-0072

IDENTITY (AS USED ON LABEL AND LIST)***Trojan Ultra Masonry Sealer#60-66U***

NOTE: BLANK SPACES ARE NOT PERMITTED. IF
ANY ITEM IS NOT APPLICABLE, OR NO
INFORMATION IS AVAILABLE THE SPACE MUST BE
MARKED TO INDICATE THAT.

SECTION I**MANUFACTURER NAME:**

ENVIROSAFE MANUFACTURING CORP.

East Coast: 7634-B Progress Cir. * **West Coast:** 817 Benton Way
Melbourne, FL 32904 Wenatchee, WA 98801

CHEMTREC COMPANY CODE: C937

D.O.T. Hazard Class: Non-Hazardous-Not Regulated

EMERGENCY PHONE NUMBER

CHEMTREC (800) 424-9300 Domestic
(703) 527-3887 International

TELEPHONE NUMBER FOR INFORMATION

1-800-800-5737

DATE PREPARED/UPDATED

01/09/2002

6/12/2008

SECTION II - Hazardous Ingredients / Identity Information

Hazardous Components (Specific Chemical Identity): Common Name:	OSHA PEL	ACGH TLV	Other Limits Recommended	%
<i>No hazardous Materials to report</i>				

N/E – Not Established

N/A – Not Applicable

SECTION III – Physical / Chemical Characteristics

BOILING POINT: *110⁰ C/- 1%*
VAPOR PRESSURE (MM HS): *N/A*
VAPOR DENSITY (AIR = 1): *N/A*
APPEARANCE AND ODOR: *Translucent Liquid*
V.O.C.: *52.79 g/L 0.44 lb/G*

SPECIFIC GRAVITY (H2O = 1): *1.01*
FREEZING POINT: *Approx. 32⁰ F*
EVAPORATION RATE (Butyl Acetate=1): *N/A*
SOLUBILITY IN WATER: *Complete*
SOLIDS: *19%*

SECTION IV – Fire and Explosion Hazard Data

FLASH POINT (METHOD USED): None
EXTINGUISHING MEDIA: Non-Flammable
SPECIAL FIRE FIGHTING PROCEDURES: None
UNUSUAL FIRE FIGHTING AND EXPLOSION HAZARDS: None
FLAMMABLE LIMITS: None

LEL: N/A UEL: N/A

SECTION V – Reactivity Data

STABILITY: STABLE: X UNSTABLE: _____
INCOMPATIBLE (MATERIALS TO AVOID) ORGANICS ALKALI & ACID PRODUCTS
HAZARDOUS DECOMPOSITIONS OR BYPRODUCTS: NE
HAZARDOUS POLYMERIZATION : MAY OCCUR _____ WILL NOT OCCUR: X
CONDITIONS TO AVOID: N/A

SECTION VI – Health Hazard Data

ROUTE(S) OF ENTRY: INHALATION? Yes SKIN? Yes INGESTION? Yes

HEALTH HAZARDS (ACUTE AND CHRONIC):

Trojan Ultra Masonry Sealer

MASSACHUSETTS SUBSTANCE LIST: None

NEW JERSEY WORKPLACE HAZARDOUS SUBSTANCE LIST: None

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR RESULTS TO BE OBTAINED FROM THE USE THEREOF.

VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY TO VENDEE OR THIRD PERSONS PROXIMATELY CAUSED BY MATERIAL IF REASONABLE SAFETY PROCEDURES ARE NOT ADHERED TO AS STIPULATED IN THE DATA SHEETS. ADDITIONALLY, VENDOR ASSUMES NO RESPONSIBILITY FOR INJURY TO VENDEE OR THIRD PERSON PROXIMATELY CAUSED BY ABNORMAL USE OF THE MATERIAL EVEN IF REASONABLE SAFETY PROCEDURES ARE FOLLOWED. FURTHERMORE, VENDEE ASSUMES THE RISK IN THE USE OF THIS MATERIAL.